

LF 1000 All-In Max



BOOKBINDING –

TECHNOLOGIES FOR YOUR UNIQUE REQUIREMENTS

Our binding techniques allow seamless uninterrupted display between two pages.

Description

LF 1000 All-In Max is a fully automatic book block system which can produce LayFlat book blocks from single sheets. It is an all-in-one machine which includes a creaser and a folder. It creates photobooks by gluing papers back-to-back as well as inserting cardboard in between sheets. This machine is ideal for creating professional photobooks where high speed is a priority.

Details

The LF 1000 All-In Max is an all-in-one integrated system which can complete the tasks of automatic feeding, creasing, folding, gluing, and assembling. Its automatic paper alignment system and user-friendly touchscreen, make it easy to operate. It offers flexible production for different sizes. The LF 1000 All-In Max comes with the hallmark LayFlatbinding technology as well as Hotmelt gluing technology which ensures faster delivery at a cheaper price.

Key Features

- All in one system: Integrated auto feeding, creasing, folding, spinning pressing, gluing and assembling units.
- Automatic paper alignment system.
- Auto feeder for sheets and cardboard.
- Easy to operate via touch screen.
- Flexible production for different sizes: 6" x 6" (152mm x 152mm) to 18" x 18" (460mm x 460mm).
- LayFlat binding technology.
- Hotmelt gluing technology: cheaper cost and faster delivery.

Professional, Attractive And Elegantly Crafted Photobooks **Production Line In Your Business**














Specifications

Book Block Height	•	6" - 18" (152mm - 460mm)
Book Block Width (open)	•	12" - 36"(305mm - 915mm)
Max. Thickness of Book Block	•	50mm
Cardboard	•	With or Without
Thickness of Cardboard	•	0.35mm – 1 mm
Thickness of Paper	•	0.15mm – 0.3mm
Glue	•	Hotmelt
Speed	•	1000 cycles/hour (without cardboard),
		500 cycles/hour (with cardboard)
Power Supply	•	220V 50 Hz - single phase
Maximum Power Consumption	•	2000W
Machine Dimension	•	3050(L) x 1150(W) x 1420(H) mm
Weight	•	750kg
Air Compressor	•	0.65 - 0.8MPa 200L/min







Connect with us For support or any queries Email us at : info@layflat.com

Head - office

Layflat.com AG, Dreilindenstrasse 25, CH-6045 Meggen, Switzerland. Tel: +41 (76) 351 22 25

Get Connected on



(f

