

LF 600 All-In



LATEST BOOKBINDING -

TECHNOLOGIES FOR YOUR UNIQUE REQUIREMENTS

Our binding techniques allow seamless uninterrupted display between two pages.

Description

LF 600 All-In is a fully automatic book block system which can produce LayFlat book blocks from single sheets. It is an all-in-one compact machine which includes a creaser and a folder. It creates photobooks by gluing papers back-to-back as well as inserting cardboard in between sheets.

Details

The LF 600 All-In is an all-in-one integrated system which can complete automatic feeding, gluing, and assembling. It has a user-friendly touchscreen, making it easy to operate. It offers flexible production for different sizes. The LF 600 All-In comes with the hallmark LayFlat binding technology as well as Hotmelt gluing technology which ensures faster delivery at a cheaper price.

Key Features

- All in one system: Integrated auto feeding, creasing, folding, spinning pressing, gluing and assembling units.
- Easy to operate via touch screen.
- Flexible production for different sizes: 152 mm x 152 mm (6" x 6") to 330 mm x 460 mm (13" x 18").
- LayFlat binding technology.
- Hotmelt gluing technology: cheaper cost and faster delivery.

Professional, Attractive And Elegantly Crafted Photobooks **Production Line In Your Business**













Specifications

Book Block Height	:	152 mm – 330 mm (6 inches – 13 inches)
Book Block Width (open)	:	305 mm – 915 mm (12 inches – 36 inches)
Max. Thickness of Book Block	:	50 mm
Paper Thickness	:	0.15 mm – 0.3 mm
Power Consumption	•	2000W
Machine Dimension	:	1990(L) x 1000(W) x 1450(H) mm
Cardboard Thickness	:	0.35 mm – 1 mm
Cardboard	:	With or Without
Power Supply	:	220V 50 Hz
Gluing Technology	:	Hotmelt
Weight (approx.)	:	400 kg
Air Compressorv	•	0.6 x 0.7mpa, >180/min
Speed	•	600 sheets/hour (without cardboard), 300 sheets/hour (with cardboard)

LF 600 All-In





Connect with us For support or any queries Email us at : info@layflat.com

Head - office

Layflat.com AG, Dreilindenstrasse 25, CH-6045 Meggen, Switzerland. Tel: +41 (76) 351 22 25

Get Connected on



