

LayflatXpress

PERFECT BINDING.
PREMIUM RESULTS.

Professional layflat book finishing
made simple.



BINDING MACHINE FOR SIMPLEX PRINTS



• Description •

The LayflatXpress LF-300XP is a fully automated all-in-one layflat book block production system.

Designed to produce premium layflat photobooks from single sheets, it bonds pages back-to-back and can insert cardboard between sheets to create high-end, rigid layflat books.

By integrating **feeding, creasing, folding and gluing into one compact workstation**, the LF-300XP delivers fast, consistent production while minimising operator input and saving valuable workspace.



• Key Features •

- All in one system: integrated auto feeding, gluing, assembling
- Small footprint, perfect for any workspace
- Easy to operate via touch screen
- Flexible production for different sizes 6" x 6" to 13" x 13"
- Layflat binding technology
- Hotmelt gluing technology: cheaper cost and faster delivery

Professional, Attractive And Elegantly Crafted Premium Book Formats
Production Line In Your Business.



LayflatXpress

Benefits of the LayflatXpress.

Professional layflat book finishing made simple. Engineered for speed, precision and premium results.



Professional Layflat Results

Creates stunning, layflat photo books with perfect page alignment and a seamless finish.



On Demand Productivity

Helping you meet tight deadlines with custom book production.



Precision Every Time

Advanced automation ensures accurate gluing, pressing and squaring for consistently perfect results.



Easy to Use

Intuitive touchscreen interface and fully automated operation make it simple to run, even with minimal training.



Built to Last

Robust, industrial design built for continuous use, delivering reliability and long-term value.




LF-300XP

Professional layflat book finishing
made simple.

BUILT FOR PRECISION. ENGINEERED FOR PERFORMANCE.

The LF-300XP is designed to deliver professional layflat binding results with efficiency and ease. Compact, reliable, and user-friendly – the perfect solution for modern photobook production.



SPECIFICATIONS

Book block height	:	6"–13" (152mm–330mm)
Book block length (open)	:	12"–26" (305mm–660mm)
Maximum thickness of book block	:	30mm
Cardboard	:	With or without
Glue	:	Hotmelt
Thickness of cardboard	:	0.35mm–0.6mm
Thickness of paper	:	0.15mm–0.3mm
Speed	:	300 cycles / hour
Power supply	:	220V 50Hz Single phase
Maximum power consumption	:	2000W
Machine dimension	:	700mm(L) x 800mm(W) x 1400mm(H)
Air compressor	:	Not Required
Noise	:	<70db

PhotoXport

LayflatXpress

SUPPORT & SERVICE COMMITMENT

At Photoxport, our commitment extends well beyond installation. We provide comprehensive support to ensure your photobook production continues to perform at its best.



Local service technicians with rapid-response support



Comprehensive training and onboarding for all new installations



Regional distributor network providing local expertise and ongoing customer support

CONTACT US



Web: <https://photoxport.com>



Tel: +44 (0)116 267 5907



Email: enquiries@photoxport.com

LET'S BRING YOUR PHOTOBOOK VISION TO LIFE TOGETHER.

Photoxport – Your trusted partner for innovative photobook production solutions, from concept to completion.