

KANISHI IJP12C2

Professional Inkjet Printing
for **Your Business**

RELIABLE
EFFICIENT
PROFESSIONAL



KANISHI

IJP12C2

Professional Inkjet Printing Made Simple

The Kanishi IJP12C2 is a high performance inkjet printer designed for professional photo printing. Combining reliable technology with simple operation, it delivers high quality prints with vivid, accurate colour.

A versatile solution for labs, retail, events and creative professionals.



RELIABLE | EFFICIENT | PROFESSIONAL

KANISHI
IJP12C2

Print Size Flexibility

The IJP12C2 supports a wide range of roll paper widths and long paper advance lengths, giving labs the flexibility to produce everyday photo prints, enlargements and panorama prints from one dry inkjet system.



102–305 mm
roll widths



88.9–1,500 mm
advance length



Panorama-ready
output

WIDE RANGE OF PRINT SIZES

KANISHI

IP12C2

8 Colour Dye Ink System

Delivering vibrant, high quality photo prints with smooth tonal graduations and exceptional detail.



Wide colour gamut

8 colours for vibrant, true-to-life prints



Smooth tonal graduations

Excellent detail from highlights to shadows



Professional photo quality

Ideal for enlargements, portraits and panoramas



Reliable results

Consistent high quality print after print



8 COLOURS
FOR RICHER,
MORE NATURAL
PHOTOS

KANISHI

IJP12C2

Simple Operation

A versatile, easy-to-use inkjet drylab designed to give labs, retailers and photo businesses the flexibility to produce a wide range of high quality prints, without the need for photofinishing chemicals.



Simple Operation



Easy to use interface



Real-time ink level display



Printing progress information



Simple operation and maintenance

Wide Range of Print Sizes

From 102 mm to 305 mm roll widths, with paper advance lengths up to 1,500 mm.

Panorama Printing

Create enlargements and panorama prints up to 305 x 1,500 mm.

Dry Inkjet Workflow

No photofinishing chemicals, reducing time, costs and the need for chemical handling and disposal.

8-Colour Dye Ink System

Y, M, C, BK, LM, LC, LK, LLK for rich, natural colours across a wide range of applications.

A Cleaner Way to Print

The IJP12C2 uses a dry inkjet system, meaning there are no photofinishing chemicals involved.



No photofinishing chemicals



No chemical temperature control



No handling or disposal of chemical solutions

Specifications

PRINTING

Printing System	Piezoelectric inkjet system
Print Resolution	600 x 1200 dpi / 900 x 1200 dpi / 1200 x 1200 dpi
Print Speed (Approx.)	6" x 4" (600 x 1200 dpi): 340 prints/hour 6" x 4" (1200 x 1200 dpi): 180 prints/hour 12" x 8" (600 x 1200 dpi): 140 prints/hour 12" x 8" (1200 x 1200 dpi): 70 prints/hour

PAPER & PRINT SIZE

Media Type	Roll paper
Roll Paper Widths	102, 127, 152, 203, 254, 279, 305 mm
Paper Advance Length	88.9 – 1,500 mm
Maximum Print Size	305 x 1,500 mm

INK SYSTEM

Ink Configuration	8-colour dye ink (Y, M, C, BK, LM, LC, LK, LLK)
Ink Cartridge Volume	440 ml per cartridge

POWER & PHYSICAL

Power Supply	AC 200 – 240 V, 1P2W, 50/60 Hz
Rated Power Capacity	1,300 VA
Weight	Approx. 112 kg (excluding options, paper, ink cartridges and CVP unit)
Installation Space	Approx. 3.47 m ²

Note: Specifications are taken from the official Kanishi IJP12C2 catalogue (May 2026) and are subject to change without notice.

KANISHI
IJP12C2

Available from
PhotoXport



| photoxport.com



| +44 (0)116 267 5907



| enquiries@photoxport.com

PRINT
CREATE
SHARE

Bring your
memories
to life

MORE
THAN PRINTS

Photos. Gifts. Memories.

